Author Index to Volume 52

References with (A) are to abstracts of papers presented at meetings of the American Physical Society. References with (L) are to Letters to the Editor.

Adams, N. I., Jr. (see Page, Leigh)—647

Albertson, Walter. Extension of the analysis of the spectrum of neutral samarium, Sm I—644

——— **and George R. Harrison.** Preliminary analysis of the first spark spectrum of cerium—Ce II—1209

Allen, Harriet W. Electron temperatures and mobilities in rare gases—707

——— (see Allis, W. P.)—703

Allen, Mildred. Effect of tension on the electrical resistance of single tetragonal tin crystals—1246

Allis, W. P. (see Tonks, Lewi)—710

——— **and Harriet W. Allen.** Theory of the Townsend method of measuring electron diffusion and mobility—703

Allison, Samuel K. On the generalization of the notation for the double crystal x-ray spectrometer—884(L)

Almy, G. M. (see Kinzer, G. D.)—814

Altar, William (see Condon, E. U.)—254(A)

Alvarez, Luis W. Nuclear *K* electron capture—134(L)

Anderson, Paul A. New charcoal trap for oil vapors—257(A)

——— Volta potential between barium and magnesium. An experimental test of the relation between work functions and volta potential—253(A)

Bacher, R. F. Scattering of neutrons by iron—248(A)

——— **and D. H. Tomboulian.** Electric quadrupole moment of In^{115}—836

Bacon, Ralph H., Edgar N. Grisewood and Carel W. van der Merwe. β-ray spectrum of Mn—668(L)

Baldes, E. J. (see Herrick, J. F.)—244(A)

Ballard, Stanley S. Some applications of spectroscopy to agriculture—253(A)

Bancroft, George H. Intensity variation of *L* series x-ray lines with the tube voltage—6

Bardeen, J. Conductivity of monovalent metals—246(A), 688

Barkas, Walter H. Interpretive remarks bearing on the metrical field associated with heavy particles—1074(L)

Barker, E. F. Perpendicular vibration bands of NH_3—250(A)

Bayley, D. S. and H. R. Crane. Beta-ray spectra of Li^8 and B^{12}—604

Beams, J. W. (see Snoddy, L. B.)—739

Bellamy, J. C. (see Parkinson, D. B.)—75, 247(A)

Benson, A. N. and R. A. Sawyer. Nuclear moment of barium—1127

Bernet, E. J. (see Herb, R. G.)—379(L)

Bernstein, Seymour (see Holley, Clifford)—525(L)

Bethe, H. A. and M. E. Rose. Maximum energy obtainable from the cyclotron—1254(L)

——— **and F. H. Spedding.** Absorption spectrum of $Tm_2(SO_4)_3 \cdot 8H_2O$—454

Beyer, H. (see Powers, P. N.)—38(L)

Birge, R. T. Comments on the letter by Sten von Friesen—886(L)

——— On the values of fundamental atomic constants—241(L)

Bitter, F. (see Tarasov, L. P.)—353

Bloch, F. (see Bradbury, N. E.)—256(A), 1023

——— **and A. Nordsieck.** Note on the radiation field of the electron—54

Bonner, Lyman G. and Robert Hofstadter. Infrared absorption spectra and approximate force constants of propene and allene—249(A)

Bonner, T. W. Neutron-proton scattering and the disintegration of deuterium by deuterons—685

——— (see Stephens, W. E.)—527(L), 1079

Bowen, I. S. Low terms in Cr III, Cr IV, Mn IV and Fe V—1153

——— **R. A. Millikan and H. V. Neher.** Influence of the earth's magnetic field on cosmic-ray intensities up to the top of the atmosphere—80

Bowls, Woolford E. Townsend coefficient in pure nitrogen—253(A)

Bradbury, N. E. and F. Bloch. Deuteron source for nuclear research—256(A)

———, **F. Bloch, H. Tatel and P. A. Ross.** Scattering and absorption cross sections of neutrons in cobalt—1023

Bramley, Arthur. Hard component of cosmic radiation—248(A)

Brammer, Forest E. (see Ruark, Arthur E.)—322, 885(L)

Breit, G. (see Share, S.)—546

——— **and J. R. Stehn.** On the comparison of proton-proton and proton-neutron interactions—396

Brickwedde, F. G. (see Dunning, J. R.)—1076(L)

Brosi, A. R. and William D. Harkins. Abundance ratio of the isotopes in natural or isotopically separated carbon—472

Brown, William Fuller, Jr. Domain theory of ferromagnetics under stress: Part I—325

Broxon, James W. (see Merideth, George T.)—252(A)

——— **and George T. Merideth.** High pressure ionization currents at high and low temperatures—252(A)

Brubaker, Gordon (see Pollard, Ernest)—762(L)

Bundy, F. P. Attempt to observe the spectrum of doubly excited helium—452

——— Excitation functions of the auroral bands of N_2^+ and the comet-tail bands of CO^+, excited by electron impact—698

Cacciapuoti, B. N. and E. Segrè. Radioactive isotopes of element 43—1252(L)

Carroll, H. (see Powers, P. N.)—38(L)

Carroll, Thomas. Magnetic rotation spectra of diatomic molecules—822

Cartmel, W. B. Is the null result inherent in the interferometer or the motion?—250(A)

——— Second-order null result of the Michelson-Morley-Miller experiment—250(A)

Author Index to Volume 52

References with (A) are to abstracts of papers presented at meetings of the American Physical Society. References with (L) are to Letters to the Editor.

Adams, N. I., Jr. (see Page, Leigh)—647

Albertson, Walter. Extension of the analysis of the spectrum of neutral samarium, Sm I—644

——— **and George R. Harrison.** Preliminary analysis of the first spark spectrum of cerium—Ce II—1209

Allen, Harriet W. Electron temperatures and mobilities in rare gases—707

——— (see Allis, W. P.)—703

Allen, Mildred. Effect of tension on the electrical resistance of single tetragonal tin crystals—1246

Allis, W. P. (see Tonks, Lewi)—710

——— **and Harriet W. Allen.** Theory of the Townsend method of measuring electron diffusion and mobility—703

Allison, Samuel K. On the generalization of the notation for the double crystal x-ray spectrometer—884(L)

Almy, G. M. (see Kinzer, G. D.)—814

Altar, William (see Condon, E. U.)—254(A)

Alvarez, Luis W. Nuclear *K* electron capture—134(L)

Anderson, Paul A. New charcoal trap for oil vapors—257(A)

——— Volta potential between barium and magnesium. An experimental test of the relation between work functions and volta potential—253(A)

Bacher, R. F. Scattering of neutrons by iron—248(A)

——— **and D. H. Tomboulian.** Electric quadrupole moment of In^{115}—836

Bacon, Ralph H., Edgar N. Grisewood and Carel W. van der Merwe. β-ray spectrum of Mn—668(L)

Baldes, E. J. (see Herrick, J. F.)—244(A)

Ballard, Stanley S. Some applications of spectroscopy to agriculture—253(A)

Bancroft, George H. Intensity variation of *L* series x-ray lines with the tube voltage—6

Bardeen, J. Conductivity of monovalent metals—246(A), 688

Barkas, Walter H. Interpretive remarks bearing on the metrical field associated with heavy particles—1074(L)

Barker, E. F. Perpendicular vibration bands of NH_3—250(A)

Bayley, D. S. and H. R. Crane. Beta-ray spectra of Li^8 and B^{12}—604

Beams, J. W. (see Snoddy, L. B.)—739

Bellamy, J. C. (see Parkinson, D. B.)—75, 247(A)

Benson, A. N. and R. A. Sawyer. Nuclear moment of barium—1127

Bernet, E. J. (see Herb, R. G.)—379(L)

Bernstein, Seymour (see Holley, Clifford)—525(L)

Bethe, H. A. and M. E. Rose. Maximum energy obtainable from the cyclotron—1254(L)

——— **and F. H. Spedding.** Absorption spectrum of $Tm_2(SO_4)_3 \cdot 8H_2O$—454

Beyer, H. (see Powers, P. N.)—38(L)

Birge, R. T. Comments on the letter by Sten von Friesen—886(L)

——— On the values of fundamental atomic constants—241(L)

Bitter, F. (see Tarasov, L. P.)—353

Bloch, F. (see Bradbury, N. E.)—256(A), 1023

——— **and A. Nordsieck.** Note on the radiation field of the electron—54

Bonner, Lyman G. and Robert Hofstadter. Infrared absorption spectra and approximate force constants of propene and allene—249(A)

Bonner, T. W. Neutron-proton scattering and the disintegration of deuterium by deuterons—685

——— (see Stephens, W. E.)—527(L), 1079

Bowen, I. S. Low terms in Cr III, Cr IV, Mn IV and Fe V—1153

——— **R. A. Millikan and H. V. Neher.** Influence of the earth's magnetic field on cosmic-ray intensities up to the top of the atmosphere—80

Bowls, Woolford E. Townsend coefficient in pure nitrogen—253(A)

Bradbury, N. E. and F. Bloch. Deuteron source for nuclear research—256(A)

———, **F. Bloch, H. Tatel and P. A. Ross.** Scattering and absorption cross sections of neutrons in cobalt—1023

Bramley, Arthur. Hard component of cosmic radiation—248(A)

Brammer, Forest E. (see Ruark, Arthur E.)—322, 885(L)

Breit, G. (see Share, S.)—546

——— **and J. R. Stehn.** On the comparison of proton-proton and proton-neutron interactions—396

Brickwedde, F. G. (see Dunning, J. R.)—1076(L)

Brosi, A. R. and William D. Harkins. Abundance ratio of the isotopes in natural or isotopically separated carbon—472

Brown, William Fuller, Jr. Domain theory of ferromagnetics under stress: Part I—325

Broxon, James W. (see Merideth, George T.)—252(A)

——— **and George T. Merideth.** High pressure ionization currents at high and low temperatures—252(A)

Brubaker, Gordon (see Pollard, Ernest)—762(L)

Bundy, F. P. Attempt to observe the spectrum of doubly excited helium—452

——— Excitation functions of the auroral bands of N_2^+ and the comet-tail bands of CO^+, excited by electron impact—698

Cacciapuoti, B. N. and E. Segrè. Radioactive isotopes of element 43—1252(L)

Carroll, H. (see Powers, P. N.)—38(L)

Carroll, Thomas. Magnetic rotation spectra of diatomic molecules—822

Cartmel, W. B. Is the null result inherent in the interferometer or the motion?—250(A)

——— Second-order null result of the Michelson-Morley-Miller experiment—250(A)

Cashman, R. J. Effect of temperature on photoelectric emission—512
——— Temperature effects in photoelectric emission—246(A)
Čerenkov, P. A. Visible radiation produced by electrons moving in a medium with velocities exceeding that of light—378(L)
Chapman, Seville. Carrier mobility spectra of spray electrified liquids—184
Ch'en, Shang-Yi (see Ny, Tsi-Ze)—1158
Chodorow, Marvin I. and Millard F. Manning. Energy bands in the body-centered lattice—731
Clark, G. L. (see Dunn, C. G.)—1167
——— **and C. G. Dunn.** X-ray and magnetic analyses of deformed silicon steel rings—1170
Clay, J. Ionization by gamma-rays and cosmic rays in gases at high pressure and high collecting fields—143
Cohen, V. W. (see Ellett, A.)—509
—— **and A. Ellett.** Velocity analysis by means of the Stern-Gerlach effect—502
Cohn, Byron E. and S. C. Lind. Luminescence and color excited by radium in zinc borate glasses which contain manganese—254(A)
Colby, M. Y. (see Daniels, F. B.)—1200(L)
Cole, A. C. (see Varney, Robert N.)—526(L)
Cole, K. S. (see Curtis, H. J.)—244(A)
Collins, J. R. Near infrared absorption band of liquid water at 1.79 μ—88
Compton, A. H. and R. N. Turner. Cosmic rays on the Pacific Ocean—799
Condon, E. U., William Altar and Henry Eyring. Theory of optical activity—254(A)
Cork, J. M. (see Kraus, J. D.)—763
——— (see Lawson, J. L.)—531
——— (see Pool, M. L.)—41(L), 239, 380(L)
——— (see Stewart, D. W.)—901
Crane, H. R. High potential apparatus for nuclear disintegration experiments—11
——— (see Bayley, D. S.)—604
——— (see Gaerttner, E. R.)—582
——— (see Turin, J. J.)—63, 247(A), 610
Curtis, H. J. and K. S. Cole. Alternating current impedance of *nitella*—244(A)

Daniels, F. B. and M. Y. Colby. Contact potential of cleavage face of zinc crystal cleaved in vacuum—1200(L)
Dempster, A. J. Isotopic constitution of tungsten—1074(L)
Dennison, D. M. (see Randall, H. M.)—160
Depp, Wallace A. (see Reich, Herbert J.)—245(A)
Dieke, G. H. and Margaret N. Lewis. Bands of HD and D_2 ending on the $2p^1\Sigma$ state—100
Dietrich, J. R. (see Snoddy, L. B.)—739
Djanab, Kamal (see Stephens, W. E.)—1079
Doermann, F. W. (see Halpern, O.)—937
Duffendack, O. S., H. Lifschutz and M. M. Slawsky. Production, characteristics and reliability of Geiger-Müller counters—1231
DuMond, Jesse W. M. Theory of the use of more than two successive x-ray crystal reflections to obtain increased resolving power—872
——— Does the formula for the Rydberg constant require revision?—1251(L)
——— **and Harry A. Kirkpatrick.** Direct spectrum of the structure and shift of the Compton line with helium gas as the scatterer—419
Dunn, C. G. (see Clark, G. L.)—1170
——— **and G. L. Clark.** Magnetic field of a symmetrical bundle of parallel wires carrying equal currents—1167
Dunning, J. R. (see Powers, P. N.)—38(L)
———, **F. G. Brickwedde, J. H. Manley and H. J. Hoge.** Interaction of neutrons with normal and parahydrogen—1076(L)
Dunnington, Frank G. Determination of e/m for an electron by a new deflection method. II—475

Eastman, E. D. Indication of a genetic relation between indium and tin—1226
Ellett, A. (see Cohen, V. W.)—502
——— **and V. W. Cohen.** Velocity analysis of potassium atoms scattering by magnesium oxide—509
Elsasser, Walter M. On quantum measurements and the role of the uncertainty relations in statistical mechanics—987
Estermann, I. (see Halpern, J.)—142(L)
———, **O. C. Simpson and O. Stern.** Magnetic moment of the proton—535
Evans, Robley D. and Clark Goodman. Alpha-particle counting and geologic ages—255(A)
Eyring, Henry (see Condon, E. U.)—254(A)
——— (see Hirschfelder, Joseph)—246(A)

Fairbrother, F. (see Livingood, J. J.)—135(L)
Feenberg, E. Further remarks on the saturation property of nuclear forces—667(L)
——— Note on the Thomas-Fermi statistical method—758
Forbush, S. E. On sidereal diurnal variation in cosmic-ray intensity—1254(L)
Fox, Francis E. Ultrasonic interferometry of liquid media—973
Fox, G. W. and H. T. Hurley. Diffraction patterns of silicon iron crystals oscillating magnetostrictionally—1077(L)
Fox, J. G. and G. Herzberg. Analysis of a new band system of the C_2 molecule—638
Froman, D. K. (see Stearns, J. C.)—254(A)
——— **and J. C. Stearns.** Cosmic-ray shower production curves on Mt. Evans—382(L)
——— **and J. C. Stearns.** Effects of time and meteorological factors on the intensities of cosmic-ray primaries and showers—255(A)
Furry, W. H. On fluctuations in size of multiplicative showers—247(A)
——— On fluctuations phenomena in the passage of high energy electrons through lead—569

Gabel, Joseph W. and R. V. Zumstein. The $^2\Sigma_1^+ - {}^2\Sigma_1$ band system of ionized zinc deuteride—726
Gaerttner, E. R. and H. R. Crane. Experiments on the gamma-radiation from lithium and fluorine bombarded with protons—582

Gardner, M. E. Recombination of ions in pure oxygen as a function of pressure and temperature—252(A)
——— (see Varney, Robert N.)—526(L)
Germer, L. H. Electron diffraction studies of cuprous oxide—959
Gerö, L., G. Herzberg and R. Schmid. On the Cameron bands ($^3\Pi - {}^1\Sigma$) of carbon monoxide—467
Gibson, G. E. (see Seaborg, G. T.)—408
Ginsburg, Nathan (see Randall, H. M.)—160
Goeppert-Mayer, M. and Albert May. Erratum: Some lattice sums involved in the calculation of elastic constants—242(L)
Goodman, Clark (see Evans, Robley D.)—255(A)
Goodrich, Max. Electron scattering in helium—259
Gordy, Walter and Philip C. Martin. Infrared absorption of HCl in oxygenated solvents—1075(L)
Gorter, C. J. On supraconductivity—1256(L)
Grahame, D. C. (see Seaborg, G. T.)—408
Green, G. K. (see Kruger, P. Gerald)—247(A), 773
Green, J. B. Zeeman effect of the rare gases—736
Greenfield, E. W. Determination of fiber to void ratio of wood pulp paper by electrical methods—245(A)
Grisewood, Edgar N. (see Bacon, Ralph H.)—668(L)
Grover, Horace. Thermionic emission of positive ions from molybdenum—982
Gwathmey, E. (see Halpern, O.)—944

Hafstad, L. R. (see Roberts, R. B.)—247(A)
Halpern, J., I. Estermann, O. C. Simpson and O. Stern. Scattering of slow neutrons by liquid ortho- and para-hydrogen—142(L)
Halpern, O. and F. W. Doermann. Wide-angle interference of multipole radiation—937
——— **and E. Gwathmey.** Effect of similarity of particles on gas kinetic quantities with application to nuclear spins—944
——— **and M. H. Johnson, Jr.** Magnetic scattering of slow neutrons—52
——— **and M. H. Johnson.** On scattering of neutrons by magnetic dipoles—248(A)
Harkins, William D. Nuclear exclusion principle and the neutron-proton pattern—39(L)
——— (see Brosi, A. R.)—472
Harrington, E. L. (see Thiessen, G. J.)—256(A)
Harris, Wilbur T. (see Turner, Louis A.)—626, 630
Harrison, George R. (see Albertson, Walter E.)—1209
Hart, Harold M. Coexistence of dia- and paramagnetism in single crystals of antimony-tin alloys—130
Harvey, G. G. Simple derivation of the formula for the total scattering of x-rays from a general crystal—248(A)
Havens, R. J. (see Rollefson, R.)—249(A)
Haworth, E. E. Energy of lattice distortion in cold worked permalloy—613
Haxby, R. O. (see Shepherd, W. G.)—247(A), 674
——— (see Williams, J. H.)—247(A), 390, 1031
Hayner, Lucy J. (see Kurrelmeyer, Bernhard)—952
Heatley, A. H. Collector theory for ions with Maxwellian and drift velocities—235
Henderson, G. H. and G. C. Laurence. Range of the α-particles from thorium—46
Henderson, W. J. (see Ridenour, Louis N.)—139(L), 889
——— **and Louis N. Ridenour.** Artificial radioactivity produced by alpha-particles—40(L)
Hendricks, S. B. (see Maxwell, L. R.)—968
Henshaw, C. L. Normal energy distribution of photoelectrons from thin potassium films as a function of temperature—854
Herb, R. G. (see Parkinson, D. B.)—75, 247(A)
——— **and E. J. Bernet.** Maximum voltage of Wisconsin electrostatic generator as a function of air pressure—379(L)
Herrick J. F. and E. J. Baldes. Thermo-stromuhr for measuring blood flow—244(A)
Herring, Conyers. Accidental degeneracy in the energy bands of crystals—365
——— Effect of time-reversal symmetry on energy bands of crystals—361
Herzberg, G. (see Fox, J. G.)—638
——— (see Gerö, L.)—467
Herzfeld, Karl F. Second virial coefficient of argon—374
Hicks, Bruce. Shape of the Compton line for helium and molecular hydrogen—436
Hicks, Victor (see Sidhu, Surain S.)—667
Hill, E. L. (see Shepherd, W. G.)—674
Hirschfelder, J. O. and J. F. Kincaid. Application of the virial theorem to approximate molecular and metallic eigenfunctions—658
———, **David Stevenson and Henry Eyring.** Theory of liquid structure—246(A)
Hodgdon, Robert E. (see Lacount, Reginald G.)—98
Hoffman, J. G. and M. Stanley Livingston. Neutron absorption limit in cadmium—1228
Hofstadter, Robert (see Bonner, Lyman C.)—249(A)
Hoge, H. J. (see Dunning, J. R.)—1076(L)
Hoisington, L. E. (see Hudson, C. M.)—664(L)
Hollenberg, A. V. Hyperfine structure of the resonance lines of rubidium—139(L)
Holley, Clifford and Seymour Bernstein. Grating space of barium-copper-stearate films—525(L)
Holmes, M. C. Origin of cosmic rays—1252(L)
Holzer, R. E. (see Workman, E. J.)—256(A)
Houston, W. V. Surface photoelectric effect—1047
——— Viscosity of air—751
Hudes, I. Band spectrum of antimony chloride—1256(L)
Hudson, C. M. (see Parkinson, D. B.)—75, 247(A)
———, **L. E. Hoisington and L. E. Royt.** Dielectric strengths CCl_2F_2 air and SO_2 air mixtures—664(L)
Hughes, A. L. and S. S. West. Scattering of fast electrons in hydrogen—43
Hughes, D. S. and P. E. Lloyd. Pressure effects of homogeneous K vapor in absorption—1215
Hulswit, W. H., Jr. and B. J. Spence. Effect of containing tubes on ultrasonic velocities in benzene—256(A)
Humphreys, R. F. (see Watson, William W.)—318
Hurley, H. T. (see Fox, G. W.)—1077(L)

Hurst, D. G. (see Laslett, L. Jackson)—1035
Hustrulid, A. (see Kusch, P.)—840, 843
——— (see Tate, John T.)—249(A)

Ichimiya, T. (see Nishina, Y.)—1198
Iskenderian, Haig P. Paramagnetic measurements at low fields with the Rankine balance—1244

Jauncey, G. E. M. Possible origin of the X particle—1256(L)
——— **and E. M. McNatt.** Electron asymmetry in the atoms of zinc crystals—257(A)
Jenkins, F. A. and George D. Rochester. Spectrum of SnF—1135
——— **and George D. Rochester.** Extension of the spectrum of AgCl—1141
Jesse, William P. Experiments on the variation of the atomic structure factor of nickel with x-ray wave-length—443
Johnson, M. H., Jr. (see Halpern, O.)—52, 248(A)
Johnson, R. P. (see Koller, Lewis R.)—519
Johnson, Thomas H. Vertical cosmic-ray intensity up to 43.5 mm Hg—255(A)

Kalckar, F., J. R. Oppenheimer and R. Serber. Note on nuclear photoeffect at high energies—273
———, **J. R. Oppenheimer and R. Serber.** Note on resonances in transmutations of light nuclei—279
Kamen, Martin (see McMillan, Edwin)—375
Kanne, W. R. Disintegration of aluminum by polonium alpha-particles—266
——— On the preparation of polonium sources—380(L)
Kanner, Morton H. (see Ladenburg, Rudolf)—911; 1255(L)
Kaplan, Joseph. Light of the night sky—1252(L)
——— Preparation of auroral afterglow tubes—254(A)
——— Production of ions in the auroral glow—257(A)
Kemmer, N. Field theory of nuclear interaction—906
Kincaid, J. F. (see Hirschfelder, J. O.)—658
King, Robert B. (see Russell, Henry Norris)—456
Kinzer, G. D. and G. M. Almy. Emission spectrum of diatomic arsenic. II—814
Kirkham, Don. Variation of the initial susceptibility with temperature, and the variation of the magnetostriction and reversible suceptibility with temperature and magnetization in nickel—1162
Kirkpatrick, Harry A. (see DuMond, Jesse W. M.)—419
Kirkpatrick, Paul. Double scattering of polarized x-rays—1201
——— (see Smick, A. E.)—256(A)
Koller, Lewis R. and R. P. Johnson. Visual observations on the Malter effect—519
Knerr, Henry W. Electric spectrum of liquid water from five to twenty centimeters—1054
Knauss, Harold P. and Myron S. McCay. Temperature determinations from band spectral data—1143
Kraus, J. D. and J. M. Cork. Radioactive isotopes of palladium and silver from palladium—763
Kruger, P. Gerald and G. K. Green. Gamma-ray spectrum of B^{10}—247(A), 773
——— **and H. S. Pattin.** Extreme ultraviolet spectra of scandium VI, scandium VII and other elements isoelectronic with phosphorus I and sulphur I—621
——— **and L. W. Phillips.** Deep terms in the spectra of Sc VIII and Sc IX—97
——— **and S. G. Weissberg.** Extreme ultraviolet series of Cr VI, Mn VII and Fe VIII—314
———, **W. E. Shoupp and F. W. Stallmann.** Scattering of protons by neutrons—678
Kuhn, H. Pressure shift of spectral lines—133(L)
Kurrelmeyer, Bernhard and Lucy J. Hayner. Shot effect of secondary electrons from nickel and beryllium—952
Kusch, P. (see Tate, John T.)—249(A)
———, **A. Hustrulid and John T. Tate.** Dissociation of HCN, C_2H_2, C_2N_2 and C_2H_4 by electron impact—843
———, **A. Hustrulid and John T. Tate.** Dissociation processes produced in $SbCl_3$, $AsCl_3$ and PCl_3 by electron impact—840

Lacount, Reginald G. and Robert E. Hodgdon. Interferometer wave-lengths in the secondary spectrum of hydrogen—98
Ladenburg, Rudolf and Morton H. Kanner. On the neutrons from the deuteron-deuteron reaction—911
——— **and Morton H. Kanner.** On the scattering cross section of fast neutrons by hydrogen—1255(L)
Lagsdin, J. B. (see Wyckoff, Ralph W. G.)—254(A)
Landau, L. Stability of neon and carbon with respect to α-particle disintegration—1251(L)
Landshoff, Rolf. Quantum mechanical calculation of the lattice energy of NaCl—246(A)
Lang, R. J. (see Russell, Henry Norris)—456
Langer, Lawrence M. (see Mitchell, Allan C. G.)—137(L)
Laporte, Otto. Absorption coefficients for thermal neutrons. Remarks on the preceding paper of C. T. Zahn—72
——— (see Mack, J. E.)—254(A)
——— **and J. E. Mack.** Spectral series in neutral tungsten, WI, and limitations upon the possibility of determining spectroscopic ionization potentials—249(A)
Laslett, L. Jackson. Long period positron activity: Na^{22}—529
——— **and D. G. Hurst.** Energy losses of fast electrons—1035
Laurence, G. C. (see Henderson, G. H.)—46
Lawson, J. L. (see Stewart, D. W.)—901
——— **and J. M. Cork.** Radioactive isotopes of indium—531
Lewis, Margaret N. (see Dieke, G. H.)—100
Libby, W. F. and Earl A. Long. Production and properties of low temperature neutrons—592
Lifschutz, H. (see Duffendack, O. S.)—1231
Lind, S. C. (see Cohn, Byron E.)—254(A)
Little, Edward M. Liquid *vs.* vapor temperature—255(A)
Livingood, J. J. and G. T. Seaborg. Radioactive antimony isotopes—135(L)
———, **F. Fairbrother and G. T. Seaborg.** Radioactive isotopes of manganese, iron and cobalt—135(L)
Livingston, M. Stanley (see Hoffman, J. G.)—1228
Lloyd, P. E. (see Hughes, D. S.)—1215

Loeb, Leonard B. Ionic recombination in the ionosphere—40(L), A correction—136(L)
London, F. On a letter of Wick's about superconductivity—886(L)
Long, Earl A. (see Libby, W. F.)—592

Mack, J. E. (see Laporte, O.)—249(A)
——— **and Otto Laporte.** Structure of the arc spectrum of tungsten, WI.—254(A)
Manley, J. H. (see Dunning, J. R.)—1076(L)
Mann, W. B. Nuclear transformations produced in copper by alpha-particle bombardment—405
Manning, Millard F. (see Chodorow, Marvin I)—731
Margenau, Henry (see Warren, Dana T.)—1027
——— **and Dana T. Warren.** Normal states of nuclear three- and four-body systems—790
——— **and William W. Watson.** Pressure shifts of krypton lines—384(L)
Martin, Philip C. (see Gordy, Walter)—1075(L)
Mason, R. C. Breakdown of vacuum spark gaps—126
——— Reflection coefficient of mercury—248(A)
Maxwell, L. R., S. B. Hendricks and V. M. Mosley. Interatomic distances of the alkali halide molecules by electron diffraction—968
May, Albert. Lattice energies and transition temperatures of caesium chloride and ammonium chloride—339
——— (see Goeppert-Mayer, M.)—242(L)
McCay, Myron S. (see Knauss, Harold P.)—1143
McCormick, W. W. and R. A. Sawyer. First spark spectrum of tin: Sn II—249(A)
McDonald, John C. Grain orientation in rolled magnesium alloys—886(L)
McKeehan, L. W. Magnetic interaction and resultant anisotropy in unstrained ferromagnetic crystals—18
——— Errata: Magnetic quadruple field and energy in cubic and hexagonal crystals and magnetic interaction and resultant anisotropy in unstrained ferromagnetic crystals—527(L)
McMillan, Edwin, Martin Kamen and Samuel Ruben. Neutron-induced radioactivity of the noble metals—375
McNatt, E. M. (see Jauncey, G. E. M.)—250(A)
McNish, A. G. On the ultraviolet light theory of magnetic storms—155, Errata—762(L)
Merideth, George T. (see Broxon, James W.)—252(A)
——— **and James W. Broxon.** Preliminary report on recombination of ions in air at high pressures—252(A)
Merrill, Paul W. Unidentified interstellar lines—761(L)
Michels, Walter C. Accommodation coefficients of the noble gases and the specific heat of tungsten—1067
Millikan, R. A. (see Bowen, I. S.)—80
Mitchell, Allan C. G. Sargent curves for artificially radioactive substances—1
——— **and Lawrence M. Langer.** Energy of the gamma-rays of radioindium and radiomanganese—137(L)
——— **and R. N. Varney.** Neutron scattering cross section as a function of energy—282
More, Kenneth R. and Alice H. Parker. Band spectrum of TiCl—1150
Morgan, Karl Z. and W. M. Nielsen. Shower production under thick layers of various materials—564
Morgan, J. E. (see Nielsen, W. M.)—568
Mosley, V. M. (see Maxwell, L. R.)—968
Motz, Lloyd and William Rarita. Photoelectric effect of H^2—271
Mueller, Hans. Intensity and polarization of the light diffracted by supersonic waves in solids—223

Nahmias, M. E. Further search for transmutations with possible emission of negative protons—525(L)
——— On the distribution of the lifetimes of radio elements—666(L)
Neher, H. V. (see Bowen, I. S.)—80
Newman, Morris. Short time lag of spark breakdown—652
Nielsen, W. M. (see Morgan, Karl Z.)—564
——— **and J. E. Morgan.** Note on the production of showers in various materials—568
Nier, Alfred O. Isotopic constitution of osmium—885(L)
——— Mass-spectrographic study of the isotopes of Hg, Xe, Kr, Be, I, As, and Cs—933
Nilikantan, P. Temperature variation of the magnetic anisotropy of ammonium nitrate—383(L)
Nishina, Y., M. Takeuchi and T. Ichimiya. On the nature of cosmic-ray particles—1198
Nordsieck, A. Low frequency radiation of a scattered electron—59
——— (see Bloch, F.)—54
Norton, K. A. Space and surface waves in radio propagation—132(L)
Ny, Tsi-Zé and Shang-Yi Ch'en. Pressure effects of rare gases on the second doublet of rubidium principal series—1158
——— **and San-Tsiang Tsien.** Band spectra and energy of dissociation of the rubidium molecule—91

Ochiai, K. Collision of proton and deuteron—1221
O'Conor, John S., S. J. Beta-ray spectrum of radium E—303
Oppenheimer, J. R. (see Kalckar, F.)—273, 279
Overhage, Carl J. F. Normal energy distribution of photoelectrons from sodium—1039

Page, Leigh, and N. I. Adams, Jr. Electromagnetic waves in conducting tubes—647
Parker, Alice H. (see More, Kenneth R.)—1150
Parkinson, D. B., R. G. Herb, J. C. Bellamy and C. M. Hudson. Range of protons in aluminum and in air—75, 247(A)
Pattin, H. S. (see Kruger, P. Gerald)—621
Paul, Fred W. Absorption spectra of manganese and silver in the Schumann region—923
Phillips, L. W. (see Kruger, P. Gerald)—97
Pickering, W. H. Production of cosmic-ray showers at great depths—1131
Pielemeier, W. H. Acoustical detection of purely mechanical vibrations in quartz plates—244(A)
——— Supersonic dispersion in air—244(A)
Plumley, Harold J. Contact potentials for metals immersed in a dielectric and conduction of electricity by liquid dielectrics—140(L)

Pollard, Ernest and Gordon Brubaker. Maximum energy of the protons from the bombardment of boron by alpha-particles—762(L)
Pool, M. L., J. M. Cork and R. L. Thornton. Evidence for the simultaneous ejection of three neutrons from elements bombarded with fast neutrons—41(L)
———, **J. M. Cork and R. L. Thornton.** Positron-electron emitting isomer in radio-silver—380(L)
———, **J. M. Cork and R. L. Thornton.** Survey of radioactivity produced by high energy neutron bombardment —239
Poritsky, H. (see Suits, G. C.)—136(L)
Powers, P. N., H. Carroll, H. Beyer and J. R. Dunning. Sign of the magnetic moment of the neutron—38(L)
Primakoff, H. On the relation of proton-deuteron to neutron-deuteron scattering—1000

Quimby, S. L. and Sidney Siegel. Elastic constants of crystalline sodium at 80°K—665(L)

Randall, H. M., D. M. Dennison, Nathan Ginsburg and Louis R. Weber. Far infrared spectrum of water vapor—160
Rarita, William (see Motz, Lloyd)—271
Reich, Herbert J. and Wallace A. Depp. Dynamic characteristic curves of glow-discharge tubes—245(A)
Ridenour, Louis N. (see Henderson, W. J.)—40(L)
——— **and W. J. Henderson.** Artificial radioactivity produced by alpha-particles—139(L), 889
Risser, J. R. Neutron-induced radioactivity of long life in cobalt—768
Roberts, R. B., L. R. Hafstad and L. H. Rumbaugh. Delayed alpha-particles from Li^7 bombarded by deuterons—247(A)
Robinson, Howard A. Additions to certain spectra of sulphur, potassium and calcium—724
——— **and George H. Shortley.** Coupling of p electron configurations—713
Rochester, George D. (see Jenkins, F. A.)—1135, 1141
Rogers, F. T., Jr. Note on the absolute determination of magnetic field strength—381(L)
Rollefson, R. and R. J. Havens, Index of refraction of methane in the infrared—249(A)
Rose, M. E. (see Bethe, H. A.)—1254(L)
Ross, P. A. (see Bradbury, N. E.)—1023
Rouse, Arthur G. Large angle scattering and energy loss of potassium ions scattered by heavy monatomic gases—1238
Royt, L. E. (see Hudson, C. M.)—664(L)
Ruark, Arthur E. and Forest E. Brammer. Efficiency of counters and counter circuits—322: Erratum—885(L)
Ruben, Samuel (see McMillan, Edwin)—375
Rukavichnikov, V. N. First USSR cyclotron—1077(L)
Rumbaugh, L. H. (see Roberts, R. B.)—247(A)
Russell, Henry Norris, Robert B. King and R. J. Lang. Third spectrum of cerium (Ce III)—456

Sambursky, S. Static universe and nebular red shift---335
Sampson, J. B. Energy levels of neon and argon—1157
Sawyer, R. A. (see Benson, A. N.)—1127
——— (see McCormick, W. W.)—249(A)
Schelkunoff, Sergei A. Electromagnetic waves in conducting tubes—1078(L)
Schiff, L. I. On the capture of thermal neutrons by deuterons—242(L)
——— Scattering of neutrons by deuterons—149
Schmid, R. (see Gerö, L.)—467
Schwinger, Julian. On the spin of the neutron—1250(L)
——— **and E. Teller.** Scattering of neutrons by ortho- and parahydrogen—286
Seaborg, G. T. (see Livingood, J. J.)—135(L)
———, **G. E. Gibson and D. C. Grahame.** Inelastic scattering of fast neutrons—408
Seely, Samuel. Variation of the diamagnetism of water with temperature—662(L)
——— **(see Zinn, Walter H.)**—919
Segrè, E. (see Cacciapuoti, B. N.)—1252(L)
Serber, R. (see Kalckar, F.)—273, 279
Shankland, Robert S. Compton effect with gamma-rays—414
Share, S. and G. Breit. Relativistic effects for the deuteron —546
——— **and J. R. Stehn.** Effects of long range forces on neutron-proton scattering—48
Shepherd, W. G. (see Williams, J. H.)—247(A), 390, 1031
———, **R. O. Haxby and E. L. Hill.** Search for protons from Li bombarded by Ra C′ α-particles—674
———, **R. O. Haxby and J. H. Williams.** Gamma-rays from B and Be under proton bombardment and from Li under bombardment—247(A)
Shockley, W. Empty lattice test of the cellular method in solids—866
Shortley, George H. (see Robinson, Howard A.)—713
Shoupp, W. E. (see Kruger, P. Gerald)—678
Sidhu, Surain S. and Victor Hicks. Space lattice and "super-lattice" of pyrrhotite—667(L)
Siegel, Sidney. (see Quimby, S. L.)—665(L)
Siegert, A. J. F. Note on the interaction between nuclei and electromagnetic radiation—787
Simpson, O. C. (see Estermann, I.)—535
——— (see Halpern, J.)—142(L)
Sixtus, K. J. Coercive force in single crystals—347
Skinner, Selby M. Thin-film lubrication of non-planar surfaces of finite width—244(A)
Slater, J. C. Nature of the superconducting state. II—214
——— Theory of ferromagnetism: Lowest energy levels—198
Slawsky, M. M. (see Duffendack, O. S.)—1231
Smick, A. E. and Paul Kirkpatrick. Fringe systems produced by passage of x-rays through plane slits—256(A)
Smith, Noyes D. Molecular spectrum of hydrogen in mixtures of hydrogen and helium—728
Snavely, Benjamin L. Secondary processes of ionization in mercury vapor—174
Snell, Arthur H. Radioactive isotopes of bromine: Isomeric forms of bromine 80—1007
Snoddy, L. B., J. R. Dietrich and J. W. Beams. Propagation of potential in discharge tubes—739

Spedding, Frank H. Sharp absorption lines for use as a comparison spectra in stellar photography—137(L)
——— (see Bethe, H. A.)—454
Spees, A. H. (see Zahn, C. T.)—524(L)
Spence, B. J. (see Hulswit, W. H., Jr.)—256(A)
Spencer, Roy C. Theorem on the effect of vertical divergence—761(L)
Stallmann, F. W. (see Kruger, P. Gerald)—678
Starr, Merle A. Ionization in cosmic-ray tracks—253(A)
Stearns, J. C. (see Froman, Darol K.)—255(A), 382(L)
——— **and D. K. Froman.** Frequency of cosmic-ray showers produced in different metals—254(A)
Stehn, J. R. (see Breit, G.)—396
——— (see Share, S. S.)—48
Stephens, W. E. and T. W. Bonner. Disintegration of boron by deuterons—527(L)
———, **Kamal Djanab and T. W. Bonner.** Neutrons from the disintegration of nitrogen by deuterons—1079
Stephenson, S. T. Focusing x-ray ionization spectrometer —255(A)
Stern, O. (see Estermann, I.)—535
——— (see Halpern, J.)—142(L)
Stevenson, David (see Hirschfelder, Joseph)—246(A)
Stevenson, E. C. (see Street, J. C.)—1003(L)
Stewart, D. W., J. L. Lawson and J. M. Cork. Induced radioactivity in strontium and yttrium—901
Straus, H. A. Magnetic focusing of ion beams—128
Street, J. C. (see Young, R. T., Jr.)—552
——— **and E. C. Stevenson.** New evidence for the existence of a particle of mass intermediate between the proton and electron—1003(L)
Stueckelberg, E. C. G. On the existence of heavy electrons —41(L)
Suits, C. G. High pressure arc phenomena—245(A)
——— **and H. Poritsky.** Interpretation of high pressure arc data—136(L)
Swann, W. F. G. Electrodynamic force equation in its bearing upon the evidence for the existence of a new cosmic-ray particle—387

Takeuchi, M. (see Nishina, Y.)—1198
Tarasov, L. P. and F. Bitter. Precise magnetic torque measurements on single crystals of iron—353
Tate, John T. (see Kusch, P.)—840, 843
———, **A. Hustrulid and P. Kusch.** Products of dissociation of ethylene by electron impact—249(A)
Tatel, H. (see Bradbury, N. E.)—1023
Teller, E. (see Schwinger, Julian)—286
Thein, Louis P. Photoelectric sensitization of aluminum—245(A)
Thiessen, G. J. and E. L. Harrington. Use of twin sources in experimental studies of thermal neutrons—256(A)
Thompson, Julian L. Solar diurnal variation of cosmic-ray intensity as a function of latitude—140(L)
Thornton, R. L. (see Pool, M. L.)—41(L), 239, 380(L)
Tomboulian, D. H. (see Bacher, R. F.)—836
Tonks, Lewi and W. P. Allis. Plasma electron drift in a magnetic field with a velocity distribution function—710
Torrey, H. C. Erratum: The sign of the magnetic moment of the K^{39} nucleus—30
Tsien, San-Tsing (see Ny, Tsi-Zé)—91
Turin, J. J. and H. R. Crane. Absorption of high energy electrons, Part I—63: Part II—610
——— **and H. R. Crane.** Energy loss of high energy beta-rays in lead—247(A)
Turner, Louis A. Stepwise fluorescence in mercury-nitrogen mixtures. The 3650 line—632
——— **and Wilbur T. Harris.** Determination of rotational quantum numbers in single *Q* branches—630
——— **and Wilbur T. Harris.** Ultraviolet bands of magnesium hydride—626
Turner, R. N. (see Compton, A. H.)—799

Valasek, Joseph. X-ray spectroscopic data in regard to the electronic energy bands in potassium and sodium chloride—250(A)
van der Merwe, Carel W. (see Bacon, Ralph H.)—668(L)
Van Vleck, J. H. On the anisotropy of cubic ferromagnetic crystals—1178
——— On the magnetic susceptibilities of Ti, V, and Cr alums—246(A)
Varney, R. N. (see Mitchell, Allan C. G.)—282
———, **Milton E. Gardner and A. C. Cole.** Ionization of mercury vapor by positive potassium ions—526(L)
von Friesen, Sten. On the values of fundamental atomic constants—886(L)

Walke, Harold J. New radioactive isotope of potassium—663(L)
——— Induced radioactivity of scandium—669
——— Induced radioactivity of titanium and vanadium—777
——— Radioactive isotopes of scandium from calcium and potassium by alpha-particle bombardment—400
Wannier, Gregory H. Structure of electronic excitation levels in insulating crystals—191
Warren, Dana T. (see Margenau, Henry)—790
——— **and Henry Margenau.** Note on the validity of methods used in nuclear calculations—1027
Watson, William W. (see Margenau, Henry)—384(L)
——— **and R. F. Humphreys.** Ultraviolet spectra of BeH and BeH^+—318
Wayland, Harold. Ionization of neon, krypton and xenon by bombardment with accelerated neutral argon atoms —31
Weber, Louis R. (see Randall, H. M.)—160
Weissberg, S. G. (see Kruger, P. Gerald)—314
Weisskopf, V. Statistics and nuclear reactions—295
West, S. S. (see Hughes, A. L.)—43
Wheeler, John Archibald. Molecular viewpoints in nuclear structure—1083
——— On the mathematical description of light nuclei by the method of resonating group structure—1107
——— Wave functions for large arguments by the amplitude-phase method—1123
Whitaker, Martin D. Magnetic scattering of neutrons—384(L)
Wick, G. C. Diamagnetism of superconducting bodies—526(L)

Williams, H. J. Magnetic properties of single crystals of silicon iron—747

——— Variation of initial permeability with direction in single crystals of silicon-iron—1004(L)

Williams, J. H. (see Shepherd, W. G.)—247(A)

———, **R. O. Haxby and W. G. Shepherd.** Disintegration of Be by protons and deuterons—247(A)

———, **Robert O. Haxby and William G. Shepherd.** Disintegration of beryllium and the masses of the beryllium isotopes—1031

———, **William G. Shepherd and Robert O. Haxby.** Disintegration of lithium by deuterons—390

Williams, R. M. (see Winans, J. G.)—250(A) 930

Winans, J. G. and R. M. Williams. Collisions of the second kind and sensitized fluorescence of tin and mercury atoms—250(A)

——— **and R. M. Williams.** Sensitized fluorescence of tin—930

Workman, E. J. and R. E. Holzer. Multiple camera for lightning studies—256(A)

Wyckoff, Ralph W. G. and J. B. Lagsdin. Design and performance of quantity heads for the air-driven ultracentrifuge—254(A)

Young, L. A. Proton's magnetic moment—138(L)

Young, R. T., Jr. Cosmic-ray measurements with a small ionization chamber. II. Comparison of small bursts at different altitudes and their variations with thickness of shield—559

——— **and J. C. Street.** Cosmic-ray measurements with a small ionization chamber. I. Variation with altitude and latitude of the total ionization for various shields—552

Zahn, C. T. Absorption coefficients for thermal neutrons—67

——— **and A. H. Spees.** Ratio of e/m for *primary* beta-rays from radium E—524(L)

Zener, Clarence. Internal friction in solids. I. Theory of internal friction in reeds—230

Zinn, Walter H. Low voltage positive ion source—655

——— **and Samuel Seely.** Neutron generator utilizing the deuteron-deuteron reaction—919

Zumstein, R. V. (see Gabel, Joseph W.)—726

Analytic Subject Index to Volume 52

References with (A) are to abstracts of papers presented at meetings of the American Physical Society. References with (L) are to Letters to the Editor.

Absorption (see also **Scattering of electrons, neutrons, and ions; X-ray, absorption**)
- Of electrons in Pb and C, L. J. Laslett, D. G. Hurst—1035
- Of high energy electrons, J. J. Turin, H. R. Crane—63; 247(A), 610
- Range of protons in Al and air, D. B. Parkinson, R. G. Herb, J. C. Bellamy, C. M. Hudson—75; 247(A)
- Of thermal neutrons, C. T. Zahn—67; O. Laporte—72

Accommodation coefficient
- Of noble gases, W. C. Michels—1067

Acoustics
- Detection of vibrations in quartz plates, W. H. Pielemeier—244(A)
- Diffraction by supersonic waves in solids, H. Mueller—223
- Supersonic dispersion, W. H. Pielemeier—244(A)
- Ultrasonic interferometry in liquids, F. E. Fox—973
- Ultrasonic velocities in tubes, W. H. Hulswit, Jr., B. J. Spence—256(A)

Astrophysics
- Sharp lines for comparison in stellar photography, F. H. Spedding—137(L)
- Static universe and red shift, S. Sambursky—335

Atmospheric electricity (see **Meteorology**)

Atomic and molecular beams
- Velocity of K atoms scattered by MgO, A. Ellett, V. W. Cohen—509
- Velocity by Stern-Gerlach effect, V. W. Cohen, A. Ellett—502

Atomic form factors
- Of Ni, variation with wave-length, W. P. Jesse—443

Aurora
- Afterglow tubes, J. Kaplan—254(A) 257(A)

Biophysics
- Impedance of *nitella*, H. J. Curtis, K. S. Cole—244(A)
- Measuring blood flow, J. F. Herrick, E. J. Baldes—244(A)

Collisions of second kind
- In Sn and Hg, J. G. Winans, R. M. Williams—250(A); 930

Compton effect (see **X-rays, diffraction, scattering**)

Conductivity, electrical (see **Electrical conductivity; Discharge of electricity in gases**)

Constants, physical, standards
- Atomic constants, R. T. Birge—241(L); 886(L); S. von Friesen—886(L)
- Values of h/e; Rydberg constant, J. W. M. DuMond—1251(L)

Contact potentials
- Of Ba and Mg; work function, P. A. Anderson—253(A)
- Of Zn, change in vacuum, F. B. Daniels and M. Y. Colby—1200(L)
- In liquid dielectrics, H. J. Plumley—140(L)

Cosmic radiation
- Diurnal variation; latitude, J. L. Thompson—140(L)
- Electrodynamic force equation; new particle, W. F. G. Swann—387
- Fluctuation phenomena, W. H. Furry—247(A); 569
- Frequency of showers, J. C. Stearns, D. K. Froman—254(A)
- γ-ray ionization currents in air, J. W. Broxon, G. T. Merideth—252(A)
- Hard component, A. Bramley—248(A)
- Intensities near top of atmosphere, I. S. Bowen, R. A. Millikan, H. V. Neher—80
- Ionization in gases, high pressure and high fields, J. Clay—143
- Ionization tracks, M. A. Starr—253(A)
- Nature of particles, Y. Nishina, M. Takeuchi, T. Ichimiya—1198
- Particle of mass between proton and electron, E. C. G. Stueckelberg—41(L); J. C. Street, E. C. Stevenson—1003(L); G. E. M. Jauncey—1256(L)
- Primaries and showers, intensities, D. K. Froman, J. C. Stearns—255(A)
- Records from Vancouver to Sydney, A. H. Compton, R. N. Turner—799
- Shower-production under thick layers, K. Z. Morgan, W. M. Nielsen—564
- Showers at great depths, W. H. Pickering—1131
- Showers curves on Mt. Evans, D. K. Froman, J. C. Stearns—382(L)
- Showers in various materials, W. M. Nielsen, J. E. Morgan—568
- Sidereal diurnal variation, S. E. Forbush—1254(L)
- Small bursts, variation with thickness of shield, R. T. Young, Jr.—559
- Terrestrial origin, M. C. Holmes—1252(L)
- Total ionization for various shields, R. T. Young, Jr., J. C. Street—552
- Vertical intensity, T. H. Johnson—255(A)

Crystal structure
- Lattice and "superlattice" of pyrrhotite, S. S. Sidhu, V. Hicks—447(L)

Crystalline state
- Anisotropy of cubic ferromagnetic crystals, J. H. Van Vleck—1178
- Anisotropy in ferromagnetic crystals, L. W. McKeehan—18; 527(L)
- Deformed silicon steel, x-ray and magnetic analyses, G. L. Clark, C. G. Dunn—1170
- Electronic energy bands in KCl and NaCl, J. Valasek—250(A)
- Electronic levels in insulating crystals, G. H. Wannier—191
- Energy bands in body-centered lattice, M. I. Chodorow, M. F. Manning—731

Energy bands of crystals, C. Herring—361; 365
Energy of lattice distortion, F. E. Haworth—613
Grain orientation in rolled Mg alloys, J. C. McDonald—886(L)
Lattice energies of CsCl and NH_4Cl, A. May—339
Lattice energy calculation, R. Landshoff—246(A)
Magnetic properties of Fe crystals; initial permeability, H. J. Williams—747; 1004(L)
Resistance and tension of Sn crystal, M. Allen—1246
Superconducting state, J. C. Slater—214
Susceptibility, magnetostriction in Ni, D. Kirkham—1162
Test of cellular method in solids, W. Shockley—866

Dielectrics and dielectric properties
Dielectric strengths of CCl_2F_2 and SO_2, C. M. Hudson, L. E. Hoisington, L. E. Royt—664(L)
Discharge of electricity in gases
Collection of ions, A. H. Heatley—235
Dynamic characteristics of tubes, H. J. Reich, W. A. Depp—245(A)
Electron diffusion and mobility, W. P. Allis, H. W. Allen—703
Electron temperatures and mobilities, H. W. Allen—707
High pressure arc, C. G. Suits, H. Poritsky—136(L); C. G. Suits—245(A)
Plasma electron drift, L. Tonks, W. P. Allis—710
Propagation of potential in tubes, L. B. Snoddy, J. R. Dietrich, J. W. Beams—739
Recombination at high pressures, G. T. Merideth, J. W. Broxon—252(A)
Recombination in oxygen, M. E. Gardner—252(A)
Time lag of spark, M. Newman—652
Townsend coefficient in N_2, W. E. Bowls—253(A)
Discharge of electricity in high vacuum (see also **Thermionic emission; High voltage tubes and machines**)
Breakdown of spark gaps, R. C. Mason—126
Disintegration of nucleus (see also **Radioactivity**)
α-particles from Li^7, R. B. Roberts, L. R. Hafstad, L. H. Rumbaugh—247(A)
Of Al by He^4, W. R. Kanne—266
Of Be; masses of Be isotopes, J. H. Williams, R. O. Haxby, W. G. Shepherd—274(A); 1031
β-rays from Li^8 and B^{12}, D. S. Bayley, H. R. Crane—604
Of B by H^2, W. E. Stephens, T. W. Bonner—527(L)
Of B, energy of H^1, E. Pollard, G. Brubaker—762(L)
Capture of neutrons by deuterons, L. I. Schiff—242(L)
Of Cu by He^4, W. B. Mann—405
Of deuterium by H^2, T. W. Bonner—685
Ejection of three neutrons, M. L. Pool, J. M. Cork, R. L. Thornton—41(L)
γ-radiation from Li and F, E. R. Gaerttner, H. R. Crane—582
γ-ray of B^{11}, P. G. Kruger, G. K. Green—247(A); 773
γ-rays from B and Be, W. G. Shepherd, R. O. Haxby, J. H. Williams—247(A)
Of Li by H^2, J. H. Williams, W. G. Shepherd, R. O. Haxby—390
Negative protons; search for, M. E. Nahmias—525(L)
Neutrons from H^2-H^2 reaction, R. Ladenburg, M. H. Kanner—911
Of N by H^2, W. E. Stephens, K. Djanab, T. W. Bonner—1079
Of noble metals, E. McMillan, M. Kamen, S. Ruben—375
Resonances in transmutations, F. Kalckar, J. R. Oppenheimer, R. Serber—279
Search for H^1 from Li, W. G. Shepherd, R. O. Haxby, E. L. Hill—674
Dissociation
Of HCN, C_2H_2, C_2N_2 and C_2H_4 by electrons, P. Kusch, A. Hustrulid, J. T. Tate—249(A); 843
Of $SbCl_3$, $AsCl_3$ and PCl_3 by electrons, P. Kusch, A. Hustrulid, J. T. Tate—840
Dissociation, heat of (see also **Molecular structure and constants**)
Of Rb_2, Ny Tsi-Zé, Tsien San-Tsiang—91

Elasticity
Constants of crystalline Na at 80°K, S. L. Quimby, S. Siegel—665(L)
Erratum: Calculation of elastic constants, M. Goeppert-Mayer, A. May—242(L)
Internal friction in solids, C. Zener—230
Electrical conductivity and resistance
Diamagnetism of superconducting bodies, G. C. Wick—526(L); F. London—886(L)
Of liquid dielectrics, H. J. Plumley—140(L)
Of monovalent metals, J. Bardeen—246(A); 688
Superconducting state, J. C. Slater—214
Supraconductivity and diamagnetism, C. J. Gorter—1256(L)
Of Sn crystals under tension, M. Allen—1246
Electromagnetic theory
Space and surface waves, K. A. Norton—132(L)
Waves in conducting tubes, L. Page, N. I. Adams, Jr.—647; S. A. Schelkunoff—1078(L)
Electron diffraction (see also **Electrons, scattering of**)
In cuprous oxide, L. H. Germer—959
Interatomic distances of alkali halides, L. R. Maxwell, S. B. Hendricks, V. M. Mosley—968
Electrons
Existence of heavy electrons, E. C. G. Stueckelberg—41(L); J. C. Street, E. C. Stevenson—1003(L)
Electrons, scattering of
Of high energy, J. J. Turin, H. R. Crane—63; 247(A); 610
In H_2, A. L. Hughes, S. S. West—43
Electrons, secondary
Shot effect from Ni and Be, B. Kurrelmeyer, L. J. Hayner—952
E/m
Determination by a new deflection method, F. G. Dunnington—475
E/m for β-rays from RaE, C. T. Zahn, A. H. Spees—524(L)
Equations of state
Second virial coefficient of A, K. F. Herzfeld—374

Errata
Efficiency of counters and counter circuits, A. E. Ruark, F. E. Brammer—322; 885(L)
"Magnetic quadrupole field and energy in cubic and hexagonal crystals" and "Magnetic interaction and resultant anisotropy in strained ferromagnetic crystals," L. W. McKeehan—18; 527(L)
The sign of the magnetic moment of K^{39} nucleus, H. C. Torrey—30
Some lattice sums involved in the calculation of elastic constants, M. Goeppert-Mayer, A. May—242(L)
On the ultraviolet theory of magnetic storms, A. G. McNish—155; 762(L)
Errors of measurements
Atomic constants, R. T. Birge—241(L); 886(L); S. von Friesen—886(L)
Evaporation
Reflection coefficient of Hg, R. C. Mason—248(A)

Fluorescence
In Hg−N_2 mixtures, L. A. Turner—632
Of Sn and Hg, J. G. Winans, R. M. Williams—250; 930

Gamma-rays (see **Radioactivity**)
Geophysics
Geologic ages and α-particle counting, R. D. Evans, C. Goodman—255(A)

High voltage tubes and machines
Cyclotron with homogeneous field, V. N. Rukavichnikov—1077(L)
Dielectric strengths of CCl_2F_2 and SO_2, C. M. Hudson, L. E. Hoisington, L. E. Royt—664(L)
Maximum energy from cyclotron, H. A. Bethe, M. E. Rose—1254(L)
Transformer system at Michigan, H. R. Crane—11
Voltage of Wisconsin generator; air pressure, R. G. Herb, E. J. Bernet—379(L)
Hyperfine structure (see also **Nuclear moments and spin**)
Of Rb resonance lines, A. V. Hollenberg—139(L)

Instruments (see **Methods and instruments**)
Insulators
Fiber in wood pulp, E. W. Greenfield—245(A)
Ionization by particles (see also **Ionization potentials**)
In Hg vapor, secondary processes, B. L. Snavely—174
Of Hg by K^+, R. N. Varney, M. E. Gardner, A. C. Cole—526(L)
Of Ne, K, and Xe by A atoms, H. Wayland—31
Ionization potentials
Appearance potentials of ions in HCN, C_2H_2, C_2N_2 and C_2H_4 by electron impact, P. Kusch, A. Hustrulid, J. T. Tate—249(A); 843
Appearance potentials of ions in $SbCl_3$, $AsCl_3$ and PCl_3 by electron impact, P. Kusch, A. Hustrulid, J. T. Tate—840
Ionization by radiation (see **Photoionization**)
Ionosphere (see also **Meteorology**)
Ionic recombination corrections, L. B. Loeb—40(L); 136(L)
Magnetic storms, ultraviolet light theory, A. G. McNish—155; 762(L)
Ions, mobility
In electrified sprays, S. Chapman—184
Isotopes
Abundance ratio of C^{12} and C^{13}, A. R. Brosi, W. D. Harkins—472
Of Hg, Xe, Kr, Be, I, As, and Cs, A. O. Nier—933
Of Os, A. O. Nier—885(L)
Transition of Sn^{115} to In^{115}, E. D. Eastman—1226
Tungsten 180, A. J. Dempster—1074(L)

Kinetic theory of gases
Liquid *vs.* vapor temperature, E. M. Little—255(A)
Similarity of particles, transport phenomena, O. Halpern, E. Gwathmey—944

Liquids
Grating space of barium-copper-stearate films, C. Holley, S. Bernstein—525(L)
Theory of liquid structure, J. Hirschfelder, D. Stevenson, H. Eyring—246(A)
Thin-film lubrication, S. M. Skinner—244(A)
Luminescence
Excited by radium in glasses, B. E. Cohn, S. C. Lind—254(A)
Malter effect, visual observations, L. R. Koller, R. P. Johnson—519
Radiation by electrons moving in a medium with velocities exceeding c/n, P. A. Čerenkov—378(L)

Magnetic fields
Of bundle of parallel wires, C. G. Dunn, G. L. Clark—1167
Magnetic properties
Analyses of deformed silicon steel, G. L. Clark, C. G. Dunn—1170
Anisotropy of NH_4NO_3, temperature variation, P. Nilikantan—383(L)
Anisotropy in crystals, L. W. McKeehan—18; 527(L)
Anisotropy of cubic ferromagnetic crystals, J. H. Van Vleck—1178
Coercive force in single crystals, K. J. Sixtus—347
Coexistence of dia- and paramagnetism, H. M. Hart—130
Of crystals of Fe, initial permeability, H. J. Williams—747; 1004(L)
Diamagnetism of superconducting bodies, G. C. Wick—526(L); F. London—886(L)
Diamagnetism of water, temperature variation, S. Seely—662(L)
Domain theory; stress, W. F. Brown, Jr.—325
Initial susceptibility, magnetostriction, variation with temperature, D. Kirkham—1162
Paramagnetic measurements at low fields, H. P. Iskenderian—1244
Susceptibilities of Ti, V, and Cr alums, J. H. Van Vleck—246(A)

Theory of ferromagnetism, J. C. Slater—198
Torque measurements on crystals of Fe, L. P. Tarasov, F. Bitter—353
Velocity analysis by Stern-Gerlach effect, V. W. Cohen, A. Ellett—502

Mechanics, quantum—general
Capture of neutrons by deuterons, L. I. Schiff—242(L)
Low frequency radiation of electron, A. Nordsieck—59
Methods used in nuclear calculations; validity of, D. T. Warren, H. Margenau—1027
Nuclear effect at high energies, F. Kalckar, J. R. Oppenheimer, R. Serber—273
Photoelectric cross section of H^2, L. Motz, W. Rarita—271
Radiation field of electron, F. Bloch, A. Nordsieck—54
Scattering of neutrons by deuterons, L. I. Schiff—149
Shape of Compton line, B. Hicks—436
Virial theorem, molecular and metallic eigenfunctions, J. O. Hirschfelder, J. F. Kincaid—658
Wave functions for large arguments, J. A. Wheeler—1123

Mechanics, quantum—of solid bodies
Conductivity of monovalent metals, J. Bardeen—246(A); 688
Electronic levels in insulating crystals, G. H. Wannier—191
Energy bands in body-centered lattice, M. I. Chodorow, M. F. Manning—731
Energy bands of crystals, C. Herring—361; 365
Test of cellular method in solids, W. Shockley—866
Theory of ferromagnetism, J. C. Slater—198

Mechanics, statistical
Quantum measurements and role of uncertainty relations, W. M. Elsasser—987

Meteorology
Camera for lightning studies, E. J. Workman, R. E. Holzer—256(A)
Ions in afterglow, J. Kaplan—254(A), 257(A)
Magnetic storms, ultraviolet light theory, A. G. McNish—155; 762(L)

Methods and instruments
Afterglow tubes, J. Kaplan—254(A)
Air-driven ultracentrifuge, W. G. Wyckoff, J. B. Lagsdin—254(A)
α-Particle counting, R. D. Evans, C. Goodman—255(A)
Blood flow measurements, J. F. Herrick, E. J. Baldes—244(A)
Camera for lightning studies, E. J. Workman, R. E. Holzer—256(A)
Charcoal trap for vapors, P. A. Anderson—257(A)
Collection of ions, A. H. Heatley—235
Cyclotron with homogeneous field, V. N. Rukavichnikov—1077(L)
Deuteron source, N. E. Bradbury, F. Block—256(A)
Dielectric strengths of CCl_2F_2 and SO_2, C. M. Hudson, L. E. Hoisington, L. E. Royt—664(L)
Efficiency of counters and counter circuits; A. E. Ruark, F. E. Brammer—322; 885(L)
Fiber in wood pulp, E. W. Greenfield—245(A)
Focusing x-ray spectrometer, S. T. Stephenson—255(A)
G-M counters, reliability of, O. S. Duffendack, H. Lifschutz, M. M. Slawsky—1231
Magnetic field of bundle of wires, C. G. Dunn, G. L. Clark—1167
Magnetic field strength determination, F. T. Rogers, Jr.—381(L)
Magnetic focusing of ions, H. A. Straus—128
Maximum energy from cyclotron, H. A. Bethe, M. E. Rose—1254(L)
Neutron generator, W. H. Zinn, S. Seely—919
Po sources, W. R. Kanne—380(L)
Positive ion source, W. H. Zinn—655
Sharp lines for comparison in stellar photography, F. H. Spedding—137(L)
Spectroscopy in agriculture, S. S. Ballard—253(A)
Temperature from band spectra, H. P. Knauss, M. S. McCay—1143
Thin-film lubrication, S. M. Skinner—244(A)
Twin sources of thermal neutrons, G. J. Thiessen, E. L. Harrington—256(A)

Mobility of ions (see **Ions, mobility**)

Molecular structure and constants (see also **Spectra, molecular**)
Double bond C force constant, L. G. Bonner, R. Hofstadter—249(A)
Interatomic distances of alkali halides, L. R. Maxwell, S. B. Hendricks, V. M. Mosley—968

Nucleus (see also **Disintegration of Nucleus**)
Stability, α-particle disintegration, L. Landau—1251(L)

Neutrino (see also **Radioactivity**)
Electrodynamic force equation; existence of neutrino, W. F. G. Swann—387

Neutrons
Absorption coefficients, C. T. Zahn—67; O. Laporte—72
Absorption limit in Cd, J. G. Hoffman, M. S. Livingston—1228
From H^2-H^2 reaction, R. Ladenburg, M. H. Kanner—911; 1255(L)
Generator utilizing H^2-H^2 reaction, W. H. Zinn, S. Seely—919
Inelastic scattering, G. T. Seaborg, G. E. Gibson, D. C. Grahame—408
Magnetic moment, sign, P. N. Powers, H. Carroll, H. Beyer, J. R. Dunning—38(L)
Magnetic scattering, M. D. Whitaker—384(L)
From $N-H^2$ reaction, W. E. Stephens, K. Djanab, T. W. Bonner—1079
Properties at low temperature, W. F. Libby, E. A. Long—592
Proton-proton and proton-neutron interactions, G. Breit, J. R. Stehn—396
Scattering cross section, A. C. G. Mitchell, R. N. Varney—282
Scattering by ortho- and parahydrogen, J. Schwinger, E. Teller—286; J. R. Dunning, F. G. Brickwedde, S. H. Manley, H. J. Hoge—1076(L)
Spin of, J. Schwinger—1250(L)
Twin sources of thermal neutrons, G. J. Thiessen, E. L. Harrington—256(A)

Nuclear moments and spin (see also **Hyperfine structure**)
Of Ba, A. N. Benson, R. A. Sawyer—1127
Erratum: Magnetic moment of K^{39}, H. C. Torrey—30
Magnetic moment of H^1, L. A. Young—138(L); I. Estermann, O. C. Simpson, O. Stern—535
Methods used in nuclear calculations; validity of, D. T. Warren, H. Margenau—1027
Of neutron, J. Schwinger—1250(L)
Quadrupole moment of In^{115}, R. F. Bacher, D. H. Tomboulian—836
Similarity of particles, O. Halpern, E. Gwathmey—944
Nucleus (see also **Disintegration of nucleus**)
Binding energies by statistical method, E. Feenberg—758
Exclusion principle, neutron-proton pattern, W. D. Harkins—39(L)
Field associated with heavy particles, W. H. Barkas—1074(L)
Field theory of interaction, N. Kemmer—906
K electron capture, L. W. Alvarez—134(L)
Light nuclei described by resonating group structure, J. A. Wheeler—1107
Molecular viewpoint, J. A. Wheeler—1083
Normal states, three- and four-body systems, H. Margenau, D. T. Warren—790
Nuclei and electromagnetic radiation; interaction, A. J. F. Siegert—787
Proton-proton and proton-neutron interactions, G. Breit, J. R. Stehn—396
Relativistic effects for H^3, S. Share, G. Breit—546
Saturation property of nuclear forces, E. Feenberg—667(L)
Statistics and nuclear reactions, V. Weisskopf—295
Wave functions for large arguments, J. A. Wheeler—1127

Optical constants and properties
Diffraction by supersonic waves in solids, H. Mueller—223
Index of methane in infrared, R. Rollefson, R. J. Havens—249(A)
Spectrum of water; absorption and refraction 5 to 20 cm waves, H. W. Knerr—1054
Optical theory
Interference of multipole radiation, O. Halpern, F. W. Doermann—937
Optical activity, theory of, E. U. Condon, W. Altar, H. Eyring—254(A)

Photoelectric effect and properties; cells
Cross section of H^3, L. Motz, W. Rarita—271
Effect of temperature, R. J. Cashman—246(A); 512
Energy distribution of electrons from *K* films, C. L. Henshaw—854
Energy distribution from Na, C. J. F. Overhage—1039
Nuclear effect at high energies, F. Kalckar, J. R. Oppenheimer, R. Serber—273
Sensitization of Al, L. P. Thein—245(A)
Surface effect, W. V. Houston—1047
Photoionization
γ-ray ionization in air, J. W. Broxon, G. T. Merideth—252(A)
Ionization in gases, high pressure and high fields, J. Clay—143
Plasmoidal discharges (see **Discharge of electricity in gases**)
Protons
Proton-proton and proton-neutron interactions, G. Breit, J. R. Stehn—396

Quantum mechanics (see **Mechanics, quantum**)

Radiation
Of electron, F. Bloch, A. Nordsieck—54
From electrons moving in a medium with velocities exceeding c/n, P. A. Čerenkov—378(L)
Radio
Space and surface waves, K. A. Norton—132(L)
Radioactivity (see also **Disintegration of nucleus**)
β-ray from Mn^{56}, R. H. Bacon, E. N. Grisewood, C. W. van der Merwe—668(L)
β-rays of RaE, J. S. O'Conor, S. J.—303
Of Br; isomeric forms, A. H. Snell—1007
Of Co, J. R. Risser—768
Distribution of lifetimes, M. E. Nahmias—666(L)
Of element 43, B. N. Cacciapuoti, E. Segrè—1252(L)
Of Ga^{68} and Ga^{66}, W. B. Mann—405
γ-rays of Rd In and Rd Mn, A. C. G. Mitchell, L. M. Langer—137(L)
Of In, J. L. Lawson, J. M. Cork—531
Induced in Cr, Co, Zn, Cu and As, W. J. Henderson, L. N. Ridenour—40(L); 139(L); 889
Induced by high energy neutrons, M. L. Pool, J. M. Cork, R. L. Thornton—239
Isotopes of Sb, J. J. Livingood, G. T. Seaborg—135(L)
Isotopes of Mn, Fe, and Co, J. J. Livingood, F. Fairbrother, G. T. Seaborg—135(L)
Isotopes of Pd and Ag, J. D. Kraus, J. M. Cork—763
Luminescence excited in glasses, B. E. Cohn—254(A)
Of noble metals; neutron-induced, E. McMillan, M. Kamen, S. Ruben—375
Po sources, W. R. Kanne—380(L)
Positron-electron emitting isomers, M. L. Pool, J. M. Cork, R. L. Thornton—380(L)
Of K^{42}, H. J. Walke—663(L)
Range of α-particles, G. H. Henderson, G. C. Laurence—46
Sargent curves, A. C. G. Mitchell—1
Of Sc^{42} and Sc^{44}, H. Walke—400; 669
Of Na^{22}, L. J. Laslett—529
Of Sr and Y, D. W. Stewart, J. L. Lawson, J. M. Cork—901
Of Ti and V, H. Walke—777
Range of particles
Of α-particles from Th, G. H. Henderson, G. C. Laurence—46
Of protons in Al and air, D. B. Parkinson, R. G. Herb, J. C. Bellamy, C. M. Hudson—75; 247(A)

Relativity
Null result of the Michelson-Morley experiments, W. B. Cartmel—250(A)
Relativistic effects for H^3, S. Share, G. Breit—546

Scattering of electrons, neutrons, and ions (see also **Electrons, scattering of; Electron diffraction**)
Collision of H^1 and H^3, K. Ochiai—1221
Electrons in He, M. Goodrich—259
Fast electrons in H_2, A. L. Hughes, S. S. West—43
Of high energy electrons, J. J. Turin, H. R. Crane—63; 610
Inelastic scattering of neutrons, G. T. Seaborg, G. E. Gibson, D. C. Grahame—408
Long range forces and neutron-proton, S. S. Share, J. R. Stehn—48
Magnetic scattering of neutrons, O. Halpern, M. H. Johnson, Jr.—52
Neutron scattering cross section as a function of energy, A. C. G. Mitchell, R. N. Varney—282
Of neutrons in Co, N. E. Bradbury, F. Bloch, H. Tatel, P. A. Ross—1023
Of neutrons by deuterons, L. I. Schiff—149
Of neutrons by Fe, R. F. Bacher—248(A)
Of neutrons; cross sections, R. Ladenburg, M. H. Kanner—911; 1255(L)
Of neutrons in liquid ortho- and parahydrogen, J. Halpern, I. Estermann, O. C. Simpson, O. Stern—142(L); J. R. Dunning, F. G. Brickwedde, S. H. Manley, H. J. Hoge—1076(L)
Of neutrons, magnetic, M. D. Whitaker—384(L)
Of neutrons by magnetic dipoles, O. Halpern, M. H. Johnson—248(A)
Of neutrons by ortho- and parahydrogen, J. Schwinger, E. Teller—286
Of neutrons by protons, T. W. Bonner—685
Of K ions in heavy gases, A. G. Rouse—1238
Proton-deuteron and neutron-deuteron scattering, H. Primakoff—1000
Of protons by neutrons, P. G. Kruger, W. E. Shoupp, P. W. Stallmann—678

Secondary electrons (see **Electrons, secondary**)

Shot effect
Of electrons from Ni and Be, B. Kurrelmeyer, L. J. Hayner—952

Solid state (see **Crystalline state**)

Specific heat
Of W, W. C. Michels—1067

Spectra, absorption
Of CO; Cameron bands ($^3\Pi - {}^1\Sigma$), L. Gerö, G. Herzberg, R. Schmid—467
Of HCl in solvents; infrared, W. Gordy, P. G. Martin——1075(L)
Of Mn and Ag in Schumann region, F. W. Paul—923
Of propene and allene, L. G. Bonner, R. Hofstadter—249(A)
Of Rb_2, Ny Tsi-Zé, Tsien San-Tsiang—91
Of $Tm_2(SO_4)_3 \cdot 8H_2O$, H. A. Bethe, F. H. Spedding—454
Of water at 1.79 μ, J. R. Collins—88

Spectra, atomic
Levels of Ne and A, J. B. Sampson—1157
Of Ce II, W. E. Albertson, G. R. Harrison—1209
Of Ce III, H. N. Russell, R. B. King, R. J. Lang—456
Coupling of p configurations, H. A. Robinson, G. H. Shortley—713
Of Cr III, Cr IV, Mn IV and Fe V, I. S. Bowen—1153
Of Cr VI, Mn VII and Fe VIII; ultraviolet, P. G. Kruger, S. G. Weissberg—314
Of He, doubly excited, F. P. Bundy—452
Levels of Ne and A, calculated, J. B. Sampson—1157
Of Rb, pressure effects, Ny Tsi-Zé, Ch'en Shang-Yi—1158
Of Sm I, W. Albertson—644
Of Sc VI and Sc VII, P. G. Kruger, H. S. Pattin—621
Of Sc VIII and Sc IX, P. G. Kruger, L. W. Phillips—97
Of S, K, and Ca, H. A. Robinson—724
Of Sn II, W. W. McCormick, R. A. Sawyer—249(A)
Of W I, O. Laporte, J. E. Mack—249(A); 254(A)

Spectra, general
Applications in agriculture, S. S. Ballard—253(A)
Interferometer wave-lengths of H_2, R. G. Lacount, R. E. Hodgdon—98
Light of night sky, J. Kaplan—1252(L)
Magnetic rotation spectra of molecules, T. Carroll—822
Pressure effects in K vapor, D. S. Hughes, P. E. Lloyd—1215
Pressure shift, H. Kuhn—133(L)
Pressure shifts of Kr lines, H. Margenau, W. W. Watson—384(L)
Sharp lines for comparison in stellar photography, F. H. Spedding—137(L)
Spectrum of water; absorption and refraction 5 to 20 cm waves, H. W. Knerr—1054
Temperature from band spectra, H. P. Knauss, M. S. McCay—1143
Unidentified interstellar lines, P. W. Merrill—761(L)

Spectra, molecular (see also **Molecular structure and constants**)
Of NH_2 vibration bands, E. F. Barker—250(A)
Of As_2, G. D. Kinzer, G. M. Almy—814
Of BeH and BeH^+, ultraviolet, W. W. Watson, R. F. Humphreys—318
Of C_2, J. G. Fox, G. Herzberg—638
Determination of rotational quantum numbers, L. A. Turner, W. T. Harris—630
Far infrared of water vapor, H. M. Randall, D. M. Dennison, N. Ginsburg, L. R. Weber—160
Of H_2 in He, N. D. Smith—728
Of HD and D_2, G. H. Dieke, M. N. Lewis—100
Of MgH, ultraviolet, L. A. Turner, W. T. Harris—626
Of N_2^+ and CO^+, excitation functions, F. P. Bundy—698
Of AgCl, F. A. Jenkins, G. D. Rochester—1141
Of SbCl, I. Hudes—1256(L)
Of SnF, F. A. Jenkins, G. D. Rochester—1135
Of TiCl, K. R. More, A. H. Parker—1150
Of ZnH^+, J. W. Gabel, R. V. Zumstein—726

Standards (see **Constants, physical**)

Statistical mechanics (see **Mechanics, statistical**)

Superconductivity (see **Electrical conductivity and resistance**)

Thermionic emission of electrons; Emitting surfaces
Contact potential of Ba and Mg, P. A. Anderson—253(A)
Thermionic emission of positive ions
From Mo; work function, H. Grover—982

Work function (see **Thermionic emission; Photoelectric effect**)

Viscosity
Of air, W. V. Houston—751

X-rays, diffraction, scattering, reflection, refraction and polarization
Compton effect; time lag, R. S. Shankland—414
Electron asymmetry in Zn, G. E. M. Jauncey, E. M. McNatt—256(A)
Fringe, systems, plane slits, A. E. Smick, P. Kirkpatrick —256(A)
Grating space of barium-copper-stearate films, C. Holley, S. Bernstein—525(L)
Patterns from magnetostriction oscillators, G. W. Fox, H. T. Hurley—1077(L)
Radiation doubly scattered, P. Kirkpatrick—1201
Shape of Compton line, B. Hicks—436
Structure and shift of Compton line, J. W. M. DuMond, H. A. Kirkpatrick—419
Total scattering from a crystal, G. G. Harvey—248(A)
X-rays, emission (see also **X-rays, spectra and spectroscopy, etc.**)
Intensity variation with tube voltage, G. H. Bancroft—6
X-rays, spectra and spectroscopy, wave-length measurements (see also **X-rays, emission**)
Two crystal reflections, resolving power, notation, J. W. M. DuMond—872; S. K. Allison—884(L)
Vertical divergence, R. C. Spencer—761(L)
X-rays, tubes, apparatus
Focusing x-ray spectrometer, S. T. Stephenson—255(A)

Zeeman effect
Of rare gases, J. B. Green—736